Giardino



Lucca | Gabled roof

6



Lucca | Slanted roof


16







The WPC boards are light gray on one side and dark gray on the other side. This way you can decide which color to place after purchase. But you can of course also make very beautiful creative and unique garden houses by combining the colors.





Art. no.	color	m W	m D	roof	barcode
2001000	dark grey/ light grey	2	2		5 4 1 3 7 5 1 4 0 6 0 1 7
2001010	dark grey/ light grey	3	3		5 4 1 3 7 5 1 4 0 6 0 2 4
2001020	dark grey/ light grey	4	3		5 4 1 3 7 5 1 4 0 6 0 3 1

- · Garden sheds with gutter
- 2 colors: dark or light gray: boards reversible
- Discover our premium range from Giardino with this gardenshed, ideal for storing your garden furniture and tools.
- The combination of composite and other high-quality materials gives it aesthetics and robustness. Indeed, the composite allows to have a bluffing wood aspect without its drawbacks.
 No specific maintenance or annual treatment is required, it is resistant over time.
- In addition to the composite (co-extruded, 2nd generation composite), other quality materials
 are used: resistant and painted aluminum for the structure, aluminum doors and windows with
 5-6-5 mm double glazing and tempered glass. The shelter does not need any additional cover
 because the PVC + ASA roof is completely waterproof.









LUCCA GARDEN SHED | 7

Gabled roof | 2x2 m

Giardíno





- . Overall outer dimensions (W x D): 293 x 235 cm
- . External dimensions (W x D): 234 x 204 cm
- . Internal dimensions (W x D): 228 x 198 cm
- . Wall height: 215 cm
- . Ridge height: 262 cm
- . Large double door: 148.5 x H. 201 cm
- . Double glazing: 5-6-5 mm, toughened glass
- . Waterproof roof: PVC (Polyvinyl chloride) + ASA (Acrylonitrile Styrene Acrylate)
- . Aluminum gutters (Diameter gutters: 90 mm)
- . Diameter required gutter downspouts: 75 mm
- . Snow resistance: 100 kg/m²
- . Composite Composition: 60% Wood + 30% Polymer + 10% Additives

Material	Composite
Construction type	Planks
Wall thickness	28 mm
Finish	Anti-UV Coextrusion
Color	Light and/or dark gray
Wall height	215 cm
Ridge height	262 cm
Area in m²	4.77
Overall external dimensions	293 W x 235 D cm
Overall exterior area	6.88 m ²
External dimensions walls	234 W x 204 D cm
External surface walls	4.77 m ²
Internal dimensions	228 W x 198 D cm
Usable interior surface ²	4.51 m
Recommended foundation size	254 x 224 cm
Roof construction	PVC + ASA panels
Roof type	Double slope
Roof overhang at the front	15.5 cm
Roof overhangs behind	15.5 cm
Side roof overhangs	29.5 cm
Snow resistance	100 kg/m ²
Door Type	Double Hinged
Opening type	Swinging
Door dimensions	148.5 x 201 cm
Close door	Lock
Glazing	Double glazing 5-6-5 mm
Type of glazing	Heat-tempered glass
Floor	Without
Warranty	2 years
Weight	610 kg
Packaging dimensions	240 x 111 x 72 cm

Gabled roof | 3x3 m

Giardíno





- . Overall external dimensions (W x D): 363 x 337 cm
- . External dimensions (WxD): 279 x 279 cm
- . Internal dimensions (WxD): 273 x 273 cm
- . Wall height: 215 cm
- . Ridge height: 270 cm
- . Large double door: 148.5 x H.201 cm
- . Double glazing: 5-6-5 mm, toughened glass
- . Waterproof roof: PVC (Polyvinyl chloride) + ASA (Acrylonitrile Styrene Acrylate)
- . Aluminum gutters (Diameter gutters: 90 mm)
- . Diameter required gutter downspouts: 75 mm
- . Snow resistance: 100 kg/m²
- . Composite Composition: 60% Wood + 30% Polymer + 10% Additives

Material Construction type	Composite Planks
Construction type	Dlanks
7.	Platiks
Wall thickness	28 mm
Finish	Anti-UV Coextrusion
Color	Light and/or dark gray
Wall height	215 cm
Ridge height	270 cm
Surface in m ²	7.78
Overall external dimensions	363 W x 337 D cm
Overall exterior surface	11.12 m ²
External dimensions walls	279 W x 279 D cm
External surface walls	7.78 m ²
Usable interior surface	7.45 m ²
Roof construction	PVC + ASA panels
Roof type	Double slope
Roof overhang at the front	52.9 cm
Roof overhangs behind	31 cm
Lateral roof overhangs	29.2 cm
Snow resistance	100 kg/m ²
Door Type	Double Hinged
Opening type	Swinging
Door dimensions	148.5 x 201 cm
Close door	Lock
Glazing	Double glazing 5-6-5 mm
Type of glazing	Heat-tempered glass
Floor	Without
Warranty	2 years
Weight	760 kg
Packaging dimensions	368.5 x 111 x 62 cm

Gabled roof | 3x4 m

Giardíno





- . Overall external dimensions (W x D): 455 x 363 cm
- . External dimensions (WxD): 384 x 279 cm
- . Internal dimensions (WxD): 378 x 273 cm
- . Wall height: 215 cm
- . Ridge height: 289 cm
- . Large double door: 148.5 x H. 201 cm
- . Double glazing: 5-6-5 mm, toughened glass
- . Waterproof roof: PVC (Polyvinyl chloride) + ASA (Acrylonitrile Styrene Acrylate)
- . Aluminum gutters (Diameter gutters: 90 mm)
- . Diameter required gutter downspouts: 75 mm
- . Snow resistance: 100 kg/m²
- . Composite Composition: 60% Wood + 30% Polymer + 10% Additives

Material	Composite
Construction type	Planks
Wall thickness	28 mm
Finish	Anti-UV Coextrusion
Color	Light and/or dark gray
Wall height	215 cm
Ridge height	289 cm
Area in m²	10.71
Overall external dimensions	455 W x 363 D cm
Overall exterior surface	16.52 m ²
External dimensions walls	384 W x 279 D cm
External surface walls	10.71 m ²
Internal dimensions	378 W x 273 D cm
Usable interior surface	10.32 m ²
Roof construction	PVC + ASA panels
Roof type	Double slope
Roof overhang at the front	52.9 cm
Roof overhangs behind	31 cm
Side roof overhangs	35.8 cm
Roof pitch	20° / 36%
Snow resistance	100 kg/m²
Door Type	Double Hinged
Opening type	Swinging
Door dimensions	148.5 x 201 cm
Close door	Lock
Window type	Opening
Number of windows	2
Glazing	Double glazing 5-6-5 mm
Type of glazing	Heat-tempered glass
Floor	Without
Warranty	2 years
Weight	910 kg
Packaging dimensions	368 x 111 x 63 cm

Gıardíno

















LUCCA GARDEN SHED | 14

















LUCCA GARDEN SHED | 15




Art. no.	color	m W	m D	roof	barcode
2001050	dark grey/ light grey	2	2		5 4 1 3 7 5 1 4 0 6 0 6 2
2001060	dark grey/ light grey	3	3		5 4 1 3 7 5 1 1 4 0 6 0 7 9
2001070	dark grey/ light grey	4	3		5 4 1 3 7 5 1 4 0 6 0 8 6

- · Garden sheds with gutter
- 2 colors: dark or light gray: boards reversible
- Discover our premium range from Giardino with this gardenshed, ideal for storing your garden furniture and tools.
- The combination of composite and other high-quality materials gives it aesthetics and robustness. Indeed, the composite allows to have a bluffing wood aspect without its drawbacks.
 No specific maintenance or annual treatment is required, it is resistant over time.
- In addition to the composite (co-extruded, 2nd generation composite), other quality materials
 are used: resistant and painted aluminum for the structure, aluminum doors and windows with
 5-6-5 mm double glazing and tempered glass. The shelter does not need any additional cover
 because the PVC + ASA roof is completely waterproof.







Slanted roof | 2x2 m

Giardíno

2001050



- . Overall external dimensions (W x D): 237 x 235 cm
- . External dimensions (WxD): 213 x 207 cm
- . Internal dimensions (W x D): 207 x 201 cm
- . Wall height: 200 cm
- . Ridge height: 236.8 cm
- . Large double door: 148.5 x H.201 cm
- . Double glazing: 5-6-5 mm, toughened glass
- . Waterproof roof: PVC (Polyvinyl chloride) + ASA (Acrylonitrile Styrene Acrylate)
- . Aluminum gutters (Diameter gutters: 90 mm)
- . Diameter required gutter downspouts: 75 mm
- . Snow resistance: 100 kg/m²
- . Composite Composition: 60% Wood + 30% Polymer + 10% Additives

Material	Composite
Construction type	Planks
Wall thickness	28 mm
Finish	Anti-UV Coextrusion
Color	Light and/or dark gray
Wall height	200 cm
Ridge height	237 cm
Area in m²	4.4
Overall outer dimensions	237 W x 235 D cm
Overall outside area	5.57 m ²
External dimensions walls	213 W x 207 D cm
External surface walls	4.4 1m²
Internal dimensions	207 W x 201 D cm
Usable interior area	4.16 m ²
Recommended foundation size	233 x 227 cm
Roof construction	PVC + ASA panels
Roof type	Monopente
Roof overhang at the front	20 cm
Roof overhangs behind	10.6 cm
Lateral roof overhangs	11 cm
Roof pitch	6°/11%
Snow resistance	100 kg/m²
Door Type	Double Hinged
Opening type	Swinging
Door dimensions	148.5 x 201 cm
Close door	Lock
Glazing	Double glazing 5-6-5 mm
Type of glazing	Heat-tempered glass
Floor	Without
Warranty	2 years
Weight	450 kg
Packaging dimensions	240 x 111 x 55 cm

Slanted roof | 3x3 m

Giardíno

2001060



- . Overall external dimensions (W x D): 363 x 340 cm
- . External dimensions (WxD): 302 x 287 cm
- . Internal dimensions (W x D): 296 x 281 cm
- . Wall height: 200 cm
- . Ridge height: 237 cm
- . Large double door: 148.5 x H.201 cm
- . Double glazing: 5-6-5 mm, toughened glass
- . Waterproof roof: PVC (Polyvinyl chloride) + ASA (Acrylonitrile Styrene Acrylate)
- . Aluminum gutters (Diameter gutters: 90 mm)
- . Diameter required gutter downspouts: 75 mm
- . Snow resistance: 100 kg/m²
- . Composite Composition: 60% Wood + 30% Polymer + 10% Additives

Material	Composite
Construction type	Planks
Wall thickness	28 mm
Finish	Anti-UV Coextrusion
Color	Light and/or dark gray
Wall height	200 cm
Ridge height	237 cm
Area in m²	8.7
Overall external dimensions	363 W x 340 D cm
Overall exterior surface	12.34 m ²
External surface walls	8.67 m ²
Internal dimensions	296 W x 281 D cm
Usable interior area	8.32 m ²
Recommended foundation size	315 x 300 cm
Roof construction	PVC + ASA panels
Roof type	Monopente
Roof overhang at the front	22.6 cm
Roof overhangs behind	29.5 cm
Side roof overhangs	30.5 cm
Roof area	12.32 m ²
Roof pitch	6°/11%
Snow resistance	100 kg/m ²
Door Type	Double Hinged
Opening type	Swinging
Door dimensions	148.5 x 201 cm
Close door	Lock
Glazing	Double glazing 5-6-5 mm
Type of glazing	Heat-tempered glass
Floor	Without
Warranty	2 years
Weight	650 kg
Packaging dimensions	369 x 111 x 61 cm

Slanted roof | 3x4 m

Giardíno





- . Overall external dimensions (W x D): 447 x 348 cm
- . External dimensions (WxD): 386 x 292 cm
- . Internal dimensions (WxD): 380 x 286 cm
- . Wall height: 200.3 / 230.7 cm
- . Ridge height: 237.9 cm
- . Large double door: 148.5 x H. 201 cm
- . Double glazing: 5-6-5 mm, toughened glass
- . Waterproof roof: PVC (Polyvinyl chloride) + ASA (Acrylonitrile Styrene Acrylate)
- . Roof overhang behind: 25.4 cm without gutter
- . Aluminum gutters (Diameter gutters: 90 mm)
- . Diameter required gutter downspouts: 75 mm
- . Snow resistance: 100 kg/m²
- . Composite Composition: 60% Wood + 30% Polymer + 10% Additives

MaterialCompositeConstruction typePlanksWall thickness28 mmFinishAnti-UV CoextrusionColorLight and/or dark grayWall height200 cmRidge height238 cmOverall external dimensions447 W x 348 D cmOverall exterior surface15.56m²External dimensions walls386 W x 292 D cmInternal dimensions380 W x 286 D cmUsable interior surface10.87 m²Roof constructionPVC + ASA panelsRoof typeMonopenteRoof overhang at the front30.5 cmRoof overhangs behind25.4 cmSide roof overhangs30.5 cmRoof pitch6°/11%Snow resistance100 kg/m²Door TypeDouble HingedOpening typeSwingingDoor dimensions148.5 x 201 cmClose doorLockNumber of windows2GlazingDouble glazing 5-6-5 mmType of glazingHeat-tempered glassFloorWithoutWarranty2 yearsWeight760 kgPackaging dimensions453 x 111 x 52 cm		
Wall thickness 28 mm Finish Anti-UV Coextrusion Color Light and/or dark gray Wall height 200 cm Ridge height 238 cm Overall external dimensions 447 W x 348 D cm Overall exterior surface 15.56m² External dimensions walls 386 W x 292 D cm Internal dimensions 380 W x 286 D cm Usable interior surface 10.87 m² Roof construction PVC + ASA panels Roof type Monopente Roof overhang at the front 30.5 cm Roof overhangs behind 25.4 cm Side roof overhangs 30.5 cm Roof pitch 6°/11% Snow resistance 100 kg/m² Door Type Double Hinged Opening type Swinging Door dimensions 148.5 x 201 cm Close door Lock Number of windows 2 Glazing Double glazing 5-6-5 mm Type of glazing Heat-tempered glass Floor Without Warranty 2 years Weight 760 kg	Material	Composite
Finish Anti-UV Coextrusion Color Light and/or dark gray Wall height 200 cm Ridge height 238 cm Overall external dimensions 447 W x 348 D cm Overall exterior surface 15.56m² External dimensions walls 386 W x 292 D cm Internal dimensions 380 W x 286 D cm Usable interior surface 10.87 m² Roof construction PVC + ASA panels Roof type Monopente Roof overhang at the front 30.5 cm Roof overhangs behind 25.4 cm Side roof overhangs 30.5 cm Roof pitch 6°/11% Snow resistance 100 kg/m² Door Type Double Hinged Opening type Swinging Door dimensions 148.5 x 201 cm Close door Lock Number of windows 2 Glazing Double glazing 5-6-5 mm Type of glazing Heat-tempered glass Floor Without Warranty 2 years Weight 760 kg	Construction type	Planks
Color Light and/or dark gray Wall height 200 cm Ridge height 238 cm Overall external dimensions 447 W x 348 D cm Overall exterior surface 15.56m² External dimensions walls 386 W x 292 D cm Internal dimensions 380 W x 286 D cm Usable interior surface 10.87 m² Roof construction PVC + ASA panels Roof type Monopente Roof overhang at the front 30.5 cm Roof overhangs behind 25.4 cm Side roof overhangs 30.5 cm Roof pitch 6°/11% Snow resistance 100 kg/m² Door Type Double Hinged Opening type Swinging Door dimensions 148.5 x 201 cm Close door Lock Number of windows 2 Glazing Double glazing 5-6-5 mm Type of glazing Heat-tempered glass Floor Without Warranty 2 years Weight	Wall thickness	28 mm
Wall height 200 cm Ridge height 238 cm Overall external dimensions 447 W x 348 D cm Overall exterior surface 15.56m² External dimensions walls 386 W x 292 D cm Internal dimensions 380 W x 286 D cm Usable interior surface 10.87 m² Roof construction PVC + ASA panels Roof type Monopente Roof overhang at the front 30.5 cm Roof overhangs behind 25.4 cm Side roof overhangs 30.5 cm Roof pitch 6 °/11% Snow resistance 100 kg/m² Door Type Double Hinged Opening type Swinging Door dimensions 148.5 x 201 cm Close door Lock Number of windows 2 Glazing Double glazing 5-6-5 mm Type of glazing Heat-tempered glass Floor Without Warranty 2 years Weight 760 kg	Finish	Anti-UV Coextrusion
Ridge height 238 cm Overall external dimensions 447 W x 348 D cm Overall exterior surface 15.56m² External dimensions walls 386 W x 292 D cm Internal dimensions 380 W x 286 D cm Usable interior surface 10.87 m² Roof construction PVC + ASA panels Roof type Monopente Roof overhang at the front 30.5 cm Roof overhangs behind 25.4 cm Side roof overhangs 30.5 cm Roof pitch 6 ° / 11% Snow resistance 100 kg/m² Door Type Double Hinged Opening type Swinging Door dimensions 148.5 x 201 cm Close door Lock Number of windows 2 Glazing Double glazing 5-6-5 mm Type of glazing Heat-tempered glass Floor Without Weight 760 kg	Color	Light and/or dark gray
Overall external dimensions 447 W x 348 D cm Overall exterior surface 15.56m² External dimensions walls 386 W x 292 D cm Internal dimensions 380 W x 286 D cm Usable interior surface 10.87 m² Roof construction PVC + ASA panels Roof type Monopente Roof overhang at the front 30.5 cm Roof overhangs behind 25.4 cm Side roof overhangs 30.5 cm Roof pitch 6 ° / 11% Snow resistance 100 kg/m² Door Type Double Hinged Opening type Swinging Door dimensions 148.5 x 201 cm Close door Lock Number of windows 2 Glazing Double glazing 5-6-5 mm Type of glazing Heat-tempered glass Floor Without Warranty 2 years Weight 760 kg	Wall height	200 cm
Overall exterior surface	Ridge height	238 cm
External dimensions walls Internal dimensions 380 W x 296 D cm Usable interior surface 10.87 m² Roof construction PVC + ASA panels Roof type Monopente Roof overhang at the front 30.5 cm Roof overhangs behind 25.4 cm Side roof overhangs 80.5 cm Roof pitch 6°/11% Snow resistance 100 kg/m² Door Type Double Hinged Opening type Swinging Door dimensions 148.5 x 201 cm Close door Lock Number of windows 2 Glazing Double glazing 5-6-5 mm Type of glazing Floor Without Warranty 2 years Weight	Overall external dimensions	447 W x 348 D cm
Internal dimensions Usable interior surface Roof construction PVC + ASA panels Roof type Monopente Roof overhang at the front Roof overhangs behind 25.4 cm Side roof overhangs Roof pitch Snow resistance Door Type Double Hinged Opening type Swinging Door dimensions 148.5 x 201 cm Close door Lock Number of windows 2 Glazing Double glazing 5-6-5 mm Type of glazing Floor Without Warranty Veight Verent ASA panels Roof Dening Very ASA panels Monopente Monopente About ASA panels Monopente About ASA panels About ASA pa	Overall exterior surface	15.56m²
Usable interior surface Roof construction PVC + ASA panels Roof type Monopente Roof overhang at the front Roof overhangs behind Side roof overhangs Roof pitch Snow resistance Door Type Double Hinged Opening type Door dimensions 148.5 x 201 cm Close door Lock Number of windows 2 Glazing Double glazing 5-6-5 mm Type of glazing Floor Without Warranty Weight Warsanty Weight Monopente Monopente Monopente Monopente Monopente Monopente Monopente 10.87 m² Double Hinged Double Hinged Double Blazing 5-6-5 mm Type of glazing Floor Without Varranty Varranty Varranty Varranty Type of glazing	External dimensions walls	386 W x 292 D cm
Roof construction PVC + ASA panels Roof type Monopente Roof overhang at the front 30.5 cm Roof overhangs behind 25.4 cm Side roof overhangs 30.5 cm Roof pitch 6°/11% Snow resistance 100 kg/m² Door Type Double Hinged Opening type Swinging Door dimensions 148.5 x 201 cm Close door Lock Number of windows 2 Glazing Double glazing 5-6-5 mm Type of glazing Heat-tempered glass Floor Without Warranty 2 years Weight 760 kg	Internal dimensions	380 W x 286 D cm
Roof typeMonopenteRoof overhang at the front30.5 cmRoof overhangs behind25.4 cmSide roof overhangs30.5 cmRoof pitch6 ° / 11%Snow resistance100 kg/m²Door TypeDouble HingedOpening typeSwingingDoor dimensions148.5 x 201 cmClose doorLockNumber of windows2GlazingDouble glazing 5-6-5 mmType of glazingHeat-tempered glassFloorWithoutWarranty2 yearsWeight760 kg	Usable interior surface	10.87 m ²
Roof overhang at the front Roof overhangs behind 25.4 cm Side roof overhangs 80.5 cm Roof pitch 6°/11% Snow resistance 100 kg/m² Door Type Double Hinged Opening type Swinging Door dimensions 148.5 x 201 cm Close door Lock Number of windows 2 Glazing Double glazing 5-6-5 mm Type of glazing Heat-tempered glass Floor Without Warranty 2 years Weight	Roof construction	PVC + ASA panels
Roof overhangs behind Side roof overhangs Roof pitch 6°/11% Snow resistance 100 kg/m² Door Type Double Hinged Opening type Swinging Door dimensions 148.5 x 201 cm Close door Lock Number of windows 2 Glazing Double glazing 5-6-5 mm Type of glazing Heat-tempered glass Floor Without Warranty 2 years Weight	Roof type	Monopente
Side roof overhangs Roof pitch 6°/11% Snow resistance 100 kg/m² Door Type Double Hinged Opening type Swinging Door dimensions 148.5 x 201 cm Close door Lock Number of windows 2 Glazing Double glazing 5-6-5 mm Type of glazing Heat-tempered glass Floor Without Warranty 2 years Weight 760 kg	Roof overhang at the front	30.5 cm
Roof pitch 6°/11% Snow resistance 100 kg/m² Door Type Double Hinged Opening type Swinging Door dimensions 148.5 x 201 cm Close door Lock Number of windows 2 Glazing Double glazing 5-6-5 mm Type of glazing Heat-tempered glass Floor Without Warranty 2 years Weight 760 kg	Roof overhangs behind	25.4 cm
Snow resistance 100 kg/m² Door Type Double Hinged Opening type Swinging Door dimensions 148.5 x 201 cm Close door Lock Number of windows 2 Glazing Double glazing 5-6-5 mm Type of glazing Heat-tempered glass Floor Without Warranty 2 years Weight 760 kg	Side roof overhangs	30.5 cm
Door Type Double Hinged Opening type Swinging Door dimensions 148.5 x 201 cm Close door Lock Number of windows 2 Glazing Double glazing 5-6-5 mm Type of glazing Heat-tempered glass Floor Without Warranty 2 years Weight 760 kg	Roof pitch	6°/11%
Opening type Swinging Door dimensions 148.5 x 201 cm Close door Lock Number of windows 2 Glazing Double glazing 5-6-5 mm Type of glazing Heat-tempered glass Floor Without Warranty 2 years Weight 760 kg	Snow resistance	100 kg/m²
Door dimensions148.5 x 201 cmClose doorLockNumber of windows2GlazingDouble glazing 5-6-5 mmType of glazingHeat-tempered glassFloorWithoutWarranty2 yearsWeight760 kg	Door Type	Double Hinged
Close door Lock Number of windows 2 Glazing Double glazing 5-6-5 mm Type of glazing Heat-tempered glass Floor Without Warranty 2 years Weight 760 kg	Opening type	Swinging
Number of windows 2 Glazing Double glazing 5-6-5 mm Type of glazing Heat-tempered glass Floor Without Warranty 2 years Weight 760 kg	Door dimensions	148.5 x 201 cm
Glazing Double glazing 5-6-5 mm Type of glazing Heat-tempered glass Floor Without Warranty 2 years Weight 760 kg	Close door	Lock
Type of glazing Heat-tempered glass Floor Without Warranty 2 years Weight 760 kg	Number of windows	2
Floor Without Warranty 2 years Weight 760 kg	Glazing	Double glazing 5-6-5 mm
Warranty 2 years Weight 760 kg	Type of glazing	Heat-tempered glass
Weight 760 kg	Floor	Without
	Warranty	2 years
Packaging dimensions 453 x 111 x 52 cm	Weight	760 kg
	Packaging dimensions	453 x 111 x 52 cm







Garden Trade International by Deense Wijersstraat 6 B-3740 Bilzen tel. +32-(0)89 51 03 60 info@giardino-online.com www.giardino-online.com