

Giardino

A decorative orange line swirl that starts from the left, loops around, and ends on the right side of the page.A stylized illustration of a plant with large orange leaves and dark teal leaves, positioned in the bottom left corner.

NAPOLI WIRE PANELS

WWW.GIARDINO-ONLINE.COM



What do I want?

That depends on your wishes. What is the required height, colour, firmness and shape? And where do you want to place the wire panels? For example, you can choose a lower and relatively lighter wire panel for a front garden than, for example, for a fence of a large property.

The strength of the panels is determined by how the panels are attached, the size of the mesh and, of course, the thickness of the wire. For example, the popular Napoli has a mesh size of 100 x 55 mm and is available in various colors and heights. You can also decorate these wire panels with ribbons or shade cloth. Do you want an extra heavy and sturdy wire panel? Then the Roma double rods are the solution!



Wire panels close your garden safely and reliably. You choose the panels, made of welded metal wire, based on your wishes. Do you want a single bar, double bars, with or without a gate? And in what color? In addition, there are also options to give them a different look by, for example, working with ribbons or dressing the wire panels with shade cloth.

How much does such a closure cost?

Wire panels have an excellent price-quality ratio and also last a long time. With this handy calculation tool you can easily calculate the costs, based on your wishes and the application. The result is immediately visible and you can take it with you as a shopping list.

How do I order it?

[Click here](#) for a hardware store or do-it-yourself store near you or order online from one of our partners. Do not forget to order a gate if desired and the necessary posts, accessories or accessories, such as ribbons and clips. All Giardino wire panels are easy to assemble and install. Especially when you keep these clear instructions at hand.

Wire panels: the sturdy garden fence

Napoli wire panels	5
Technical information	7
Posts overview	8

Napoli with profile posts	
Profile post	10
Brackets	13
Floor piece	14

Napoli with round posts	
Round post	16
End and middle bracket	17
Floorpiece	18
Concrete slab holder	19

Napoli with square posts	
Square posts	20
Floorpiece	21
Concrete slab holder	21


Table overview	22
----------------	----

Gates	
Single gate Napoli	24
Double gate Napoli (2 x 150 cm)	25
Double gate Napoli (2 x 200 cm)	26

Accessories	
Wallfastening	29
Endbrackets for gates	29
Ombra + clips	30
Ribbons + clips	31



Closure with many possibilities



Characteristics

- Epoxy coated on galvanized core wire
- Stitch end on one side of 3 cm can be placed up or down
- Panels can also be shortened



GREEN



BLACK



GRAY

	Ø mm	↔ cm
100 x 55 mm	3,8/4,0	200


Art. nr.	Art. nr.	Art. nr.	Ø mm	↑ cm	↔ cm	
9201060	9210060	9220060	3,8/4,0	63	200	2
9201080	9210080	9220080	3,8/4,0	83	200	2
9201100	9210100	9220100	3,8/4,0	103	200	2
9201120	9210120	9220120	3,8/4,0	123	200	2
9201150	9210150	9220150	3,8/4,0	153	200	3
9201180	9210180	9220180	3,8/4,0	173	200	3
9201200	9210200	9220200	3,8/4,0	203	200	4



Technical information

Giardino

- The distribution of the panels per height
- The kinks in the panel make the whole more stable



Posts | Napoli

The panels can be installed with profile posts, round posts (48 or 60 mm) or square posts.



GREEN

BLACK

GRAY

Profile post

- Profile post with cap
- Pole diameter : Ø 48 mm
- Mounting method: clamp (see page 13)
- Hot-dipped galvanized and then epoxy-coated
- Zinc layer : 180-250 g/m²
- Epoxy-coating : 54 µ
- Thickness : 1,4 mm



GREEN

BLACK

GRAY

Round post

- Round post with cap
- Pole diameter : Ø 48 mm or Ø 60 mm
- Mounting method: clamp (see page 17)
- Hot-dipped galvanized and then epoxy-coated
- Zinc layer : 180-250 g/m²
- Epoxy-coating : 54 µ
- Thickness Ø 48mm post : 1,5 mm
- Thickness Ø 60mm post : 2,0 mm



GREEN

BLACK

GRAY


Square post

- Square post with cap
- Pole diameter : 60 x 60 mm
- Mounting method: clamp (see page 20)
- Hot-dipped galvanized and then epoxy-coated
- Zinc layer : 180-250 g/m²
- Epoxy-coating : 54 µ
- Thickness : 1,5 mm



The most common combination is to install the Napoli panels with the profile pole. Below is an overview of the profile poles and associated accessories.



Of course it is also possible to install the Napoli panels with the round post and the square post. For more information, see further in the brochure.



Watch our instruction videos



↑ cm	↔ 200 cm
63	● ● ●
83	● ● ●
103	● ● ●
123	● ● ●
153	● ● ●
173	● ● ●
203	● ● ●



Check out the calculation tool for Napoli projects on our website




Art. nr. ■	Art. nr. ■	Art. nr. ■	Ø mm	↑ mm	Bracket per post
7039	7038	7938	48	1000	2
7037	7068	7968	48	1200	2
7535	7506	7935	48	1500	2
7042	7057	7957	48	1750	3
7043	7058	7958	48	2000	3
7044	7059	7959	48	2250	4
7045	7061	7961	48	2500	4
7501	7505	7507	48	3000	4


Profile post

- Profile post with cap
- Pole diameter : Ø 48 mm
- Mounting method: clamp (see page 13)
- Hot-dipped galvanized and then epoxy-coated
- Zinc layer : 180-250 g/m²
- Epoxy-coating : 54 µ
- Thickness : 1,4 mm

Profile pole top view



Top view fastening panel to profile post





- Suitable for fixation of panels to profile post
- Polyamide

1. Corner bracket



Art. n° packaging per piece	Art. n° packaging per 6	  	Type mm
7046	8046		48
7049	8049		48
7246	8146		48

2. End/Middle bracket



Art. n° packaging per piece	Art. n° packaging per 6	  	Type mm
7150	8150		48
7151	8151		48
7249	8149		48



Floor piece conic alu


- To be used when the fence is placed on asphalt, wall or concrete.

Floor piece for profile post




Art. nr.		Ø mm	↑ mm
8031		48	180
8131		48	180
8035		48	180

Floor piece for gate post



Art. nr.		Ø mm	↑ mm
8033		60	180
8133		60	180
8135		60	180





Our Napoli panels are the most sold panels, but maybe not exactly what you had in mind? Of course we have other types that you can choose from.

Milano for example, these have the same meshes as the Napoli, but the wires are thicker and the length is 250cm instead of 200cm, of course a slightly more expensive variant because of this, but still cheaper on longer pieces!, fewer posts needed and therefore less cement / concrete and obviously work. Or rather a lighter version? Which can. The cheaper version of Napoli is the Torino.

This has the same wire thickness but the meshes are twice as high compared to Napoli, making the Torino a lot cheaper, but you still have a firmer closure than when you buy garden wire on a roll.

Our Roma panels are also an excellent choice, although a completely different style, but very sturdy and therefore also in the higher price range in terms of wire terminations. They are available in 220 and 250 cm length.

If you would like to know more, be sure to check out our website: www.giardino-online.com.



Posts Ø 48 mm

Art. nr. ■	Art. nr. ■	Art. nr. ■	Ø mm	↑ mm	Bracket per post
7012	7069	7170	48	1000	2
7021	7028	7171	48	1200	2
7103	7104	7173	48	1500	2
7016	7015	-	48	1600	3
7018	7017	7174	48	1800	3
7020			48	2000	3
-	7019	7175	48	2100	3
7022			48	2200	4
7024	7023	7177	48	2400	4
7026	7025	7178	48	2600	4
7348	7348A	7179	48	3000	4


- Round post with cap
- Pole diameter : Ø 48 mm of Ø 60 mm
- Hot-dipped galvanized and then epoxy-coated
- Zinc layer : 180-250 g/m²
- Epoxy-coating : 54 µ
- Thickness Ø 48mm post : 1,5 mm
- Thickness Ø 60mm post : 2,0 mm

Posts Ø 60 mm

Art. nr. ■	Art. nr. ■	Art. nr. ■	Ø mm	↑ mm	Bracket per post
7030	7230	7180	60	2000	2
7032	7232	7181	60	2200	2
7034	7234	7183	60	2400	4
7036	7236	7184	60	2600	4
7349	7349A	7185	60	3000	4

Top view fixing panel to round post

- Ideal in combination with concrete slab holders





- Suitable for fixing wire panels to the round post
- End clamp is suitable for corners




METAL ELECTRO GALVANIZED, EPOXY COATED			
Model	Art. nr.		Type
1. Middle bracket	84004		48 mm
	84014		48 mm
2. End bracket	84003		48 mm
	84013		48 mm
	84006		60 mm
	84016		60 mm

POLYAMIDE			
Model	Art. nr.		Type
3. Middle bracket	84105		48 mm
	84115		48 mm
	84123		48 mm
	84108		60 mm
	84120		60 mm
	84124		60 mm
4. End bracket	84107		48 mm
	84117		48 mm
	84126		48 mm
	84109		60 mm
	84119		60 mm
	84121		60 mm




Floorpiece for round post Ø 48 mm



Art. nr.		Ø mm	↑ mm
7050		48	115
7052		48	110
7157		48	115

Floorpiece for round post Ø 60 mm
or for Napoli simple gate post




Art. nr.		Ø mm	↑ mm
7051		60	105
7053		60	105
7158		60	105

Floorpiece for profile post



Art. nr.		Type	Ø mm	↑ mm
8031		A	48	180
8131		A	48	180
8035		A	48	180

Floorpiece for gate post




Art. nr.		Type	Ø mm	↑ mm
8033		B	60	180
8133		B	60	180
8135		B	60	180



- A: concrete slab holder (PVC) for the round posts
- B: concrete slab holder (PVC) for end posts or corner posts, including 3 selft aps screws
- C: Concrete plate holder piece (iron galvanized) for the corner or end post

Art. nr.	Type	Type
7097	48 mm / 18 cm	A
7098	60 mm / 18 cm	A
7099	40 mm / 28 cm	A
7096	48 mm / 28 cm	A
7095	60 mm / 28 cm	A
7102	 28 cm	B
6987	 28 cm	C



Concrete slabs are available at the better DIY stores
Concrete slab thickness : ±3 to 4 cm.

Concrete slabs ? Round posts!
When using a profiled post, the space between the posts is approximately 197 cm between the posts. With round posts, the space is approx 203 cm. The concrete slabs are available in 200 cm.



Square post



- Square post with cap
- Pole diameter : 60 x 60 mm
- Hot-dipped galvanized and then epoxy-coated
- Zinc layer : 180-250 g/m²
- Epoxy-coating : 54 μ
- Thickness : 1,5 mm

Art. nr. ■	Art. nr. ■	Art. nr. ■	□ mm	↑ mm
7514	7914	7950	60/60	1500
7516	7916	7941	60/60	1750
7520	7920	7942	60/60	2000
7522	7922	7960	60/60	2200
7524	7924	7943	60/60	2400
7526	7926	7944	60/60	2600
7530	7931	7962	60/60	3100


Clips for square post

- For fixing the panels to the square posts
- Clamp + cover plate + self-tapping tool

Art. nr.	■ ■ ■	□
7299	■	10/bag
7298	■	
7297	■	




Top view mounting panel to square post





- To be used when the fence is placed on asphalt, wall or concrete.


Art. nr.	  	 mm	↑ mm
7029		60/60	115
7129		60/60	115
7127		60/60	115



Posts overview | Napoli



Everything in a nutshell.



			profile post Ø 48 mm				round post Ø 48 mm		
↑ panel	↔ panel	brackets per post	↑ post	Art. nr. ■	Art. nr. ■	Art. nr. ■	↑ post	Art. nr. ■	Art. nr. ■
place in the ground									
63 cm	200 cm	2	100 cm	7039	7038	7938	100 cm	7012	7069
83 cm	200 cm	2	120 cm	7037	7068	7968	120 cm	7021	7028
103 cm	200 cm	2	150 cm	7535	7506	7935	150 cm	7103	7104
123 cm	200 cm	3	175 cm	7042	7057	7957	180 cm	7018	7017
153 cm	200 cm	3	200 cm	7043	7058	7958	200/210 cm	7020	7019
173 cm	200 cm	4	225 cm	7044	7059	7959	240 cm	7024	7023
203 cm	200 cm	4	250 cm	7045	7061	7961	260 cm	7026	7025
place on asphalt, wall									
63 cm	200 cm	2	100 cm	7039	7038	7938	100 cm	7012	7069
83 cm	200 cm	2	100 cm	7039	7038	7938	100 cm	7012	7069
103 cm	200 cm	2	100 cm	7039	7038	7938	100 cm	7012	7069
123 cm	200 cm	3	120 cm	7037	7068	7968	120 cm	7021	7028
153 cm	200 cm	3	150 cm	7535	7506	7935	150 cm	7103	7104
173 cm	200 cm	4	175 cm	7042	7057	7957	180 cm	7018	7017
203 cm	200 cm	4	200 cm	7043	7058	7958	210 /220cm	7022	7019

Post and panel height

If the posts or panels are too long, you can always shorten them yourself.



		round post Ø 60 mm				square post 60 x 60 mm			
	Art. nr. ■	↑ post	Art. nr. ■	Art. nr. ■	Art. nr. ■	↑ post	Art. nr. ■	Art. nr. ■	Art. nr. ■
round									
	7170	100 cm	7030	7230	7180	150 cm	7514	7914	7950
	7171	120 cm	7030	7230	7180	150 cm	7514	7914	7950
	7173	150 cm	7030	7230	7180	150 cm	7514	7914	7950
	7174	180 cm	7030	7230	7180	175 cm	7516	7916	7950
	7175	200 cm	7030	7230	7180	200 cm	7520	7920	7942
	7177	240 cm	7034	7234	7183	240 cm	7524	7924	7943
	7178	260 cm	7036	7236	7184	260 cm	7526	7926	7944
for concrete									
	7170	100 cm	7030	7230	7180	150 cm	7514	7914	7950
	7170	100 cm	7030	7230	7180	150 cm	7514	7914	7950
	7170	100 cm	7030	7230	7180	150 cm	7514	7914	7950
	7171	120 cm	7030	7230	7180	150 cm	7514	7914	7950
	7173	150 cm	7030	7230	7180	150 cm	7514	7914	7950
	7174	180 cm	7030	7230	7180	175 cm	7516	7916	7950
	7175	200 cm	7030	7230	7180	200 cm	7520	7920	7942



Single gate | Napoli

Giardino



Art. nr. ■	Art. nr. ■	Art. nr. ■	gate ↑ cm	post ↑ cm	↔ cm
8100301	8100321	8100421	100	150	125
8100303	8100323	8100423	120	170	125
8100305	8100325	8100425	150	200	125
8100307	8100327	8100427	170	230	125
8100309	8100329	8100429	200	260	125

- A gate consists of:
 - » lock with handle
 - » 2 unique keys
 - » adjustable hinges
 - » lock strike
 - » welded mesh panel
 - ↑ 100 mm x ↔ 55 mm x Ø 4,0 mm
 - » Frame of 4 tubes of Ø 40 mm
 - » 2 gate posts of Ø 60mm, these are 50 or 60 cm longer than the height of the gate
- Hot-dip galvanized then epoxy coated



- End clamps for fixing the panel directly to the gate post

■ art. 84109

■ art. 84119

■ art. 84121



Watch our instruction videos





Double gate (2 x 150 cm) | Napoli

Giardino



Art. nr. ■	Art. nr. ■	Art. nr. ■	gate ↑ cm	post ↑ cm	↔ cm
8100360	-	-	60	110	2 x 150
8100331	8100361	8100471	100	150	2 x 150
8100333	8100363	8100473	120	170	2 x 150
8100335	8100365	8100475	150	200	2 x 150
8100337	8100367	8100477	170	230	2 x 150
8100339	8100369	8100479	200	260	2 x 150

- 2 door wings : **2 x 150 cm**
- Provided with :
 - » Lock with handles
 - » 2 unique keys
 - » adjustable hinges
 - » lock stop
 - » wire fence panel
 - ↑ 100 mm x ↔ 55 mm x Ø 4,0 mm
 - » Frame four pipes of 40 x 35 x 1,3 mm
 - » 2 Square gate posts 80 x 80 x 3mm, these are 50 cm (for the 100,125 and 150 cm) and 60 cm (for the 175 and 200 cm) longer than the height of the gate
 - » Ground anchor and pin galvanized
- Hot-dip galvanized then epoxy coated



- End clamps for fixing the panel directly to the gate post

■ art. 84020

■ art. 84021

■ art. 84022



Watch our instruction videos





Double gate (2 x 200 cm) | Napoli

Giardino



Art. nr. ■	Art. nr. ■	Art. nr. ■	gate ↑ cm	post ↑ cm	↔ cm
8100311	8100351	8100451	100	150	2 x 200
8100313	8100353	8100453	120	170	2 x 200
8100315	8100355	8100455	150	200	2 x 200
8100317	8100357	8100457	170	230	2 x 200
8100319	8100359	8100459	200	260	2 x 200

- 2 door wings : **2 x 200 cm**
- Provided with :
 - » Lock with handles
 - » 2 unique keys
 - » adjustable hinges
 - » lock stop
 - » wire fence panel
 - ↕ 100 mm x ↔ 55 mm Ø 4,0 mm
 - » Frame four pipes of 40 x 35 x 1,3 mm
 - » 2 Square gate posts 80 x 80 x 3mm, these are 50 cm (for the 100,125 and 150 cm) and 60 cm (for the 175 and 200 cm) longer than the height of the gate
 - » Ground anchor and pin galvanised
- Hot-dip galvanized then epoxy coated



- End clamps for fixing the panel directly to the gate post

■ art. 84020


■ art. 84021

■ art. 84022



Watch our instruction videos






Check out the calculation tool for Napoli projects on our website



Wall fastening



- Wall fastening to fasten wire panels to walls
- Epoxy coated, on galvanized steel
- Packaging: per 4 pieces, including plug + screw

Art. nr.		
84010		per 4
84011		per 4
84012		per 4



- Wall fastening to fasten hinges of gates
- Metal and then epoxy coated

Art. nr.	
810020	
810021	
810022	

Endbrackets for gates



- to be used at the double gates

METAL ELECTROLYTICALLY GALVANIZED, EPOXY COATED		
Art. nr.		Type
84020		80/80 mm
84021		80/80 mm
84022		80/80 mm



- to be used at the simple gates

POLYAMIDE		
Art. nr.		Type
84109		60 mm
84119		60 mm
84121		60 mm




Ombra - shade canopy

Art. nr. ■	Art. nr. ■	Art. nr. ■	↑ m	↔ m	visibility reduction
1018001	1018101	1018301	1	10	95%
1018003	1018103	1018303	1,2	10	95%
1018005	1018105	1018305	1,5	10	95%
1018007	1018107	1018307	1,8	10	95%
1018009	1018109	1018309	2	10	95%


- Sight screen 95% sun and sight-blocking tarpaulin
- Packaged on reels
- 190 g/m²

Clips for shade canopy

Art. nr.	type	
1018200	A	per 20
1018201	B	per 20



- For attaching screens to wire panels
- A : for top and bottom
- B : for center mounting





Ribbon & Clips

RIBBONS			
Art. nr.		 mm	
1017201		50	per rol
1017205		50	per rol
1017206		50	per rol

CLIPS	
Art. nr.	
1017211	100
1017215	100
1017216	100



- Ribbon, including clips
- 1 Rol = 60 meter = ca 3m²
- Made of PP (Polypropeen)
- Clips for ribbons can be ordered separately

Garden Trade

International bv



Garden Trade International bv
Twaalfbunderweg 13
B-3740 Bilzen
tel. +32-(0)89 51 03 60
info@giardino-online.com
www.giardino-online.com



5 413751 194082

WWW.GIARDINO-ONLINE.COM

Giardino - Napoli - ENG - 2023 - maart 2023 - F99997D